

Tonale Boucle

kettal

Tonale Boucle


Finishes

1/2

Description

Inspired by colors of nature, the Tonale Boucle texture gives a soft, pleasant feeling with an elegant look. The material pairs perfectly with curvilinear shapes and adapts to the outdoor environment as well as indoor.

Care instructions




kettal

Technical specifications

Composition	88% PP 12% PL
Grammage (g/m2)	658
Abrasion resistance (Martindale)	30,000 cycles ISO 12947-2
Pilling	4 5,000 rubs ISO 12945-2
Lightfastness	7/8 UNI EN ISO 105-B02
Colour fastness rubbing dry / wet	4/5 / 4 UNI EN ISO 105-X12
Tensile strength weft & warp (N)	848 / 2.187 UNI EN ISO 13934-1 Elongation 49% / 42%
Cigarette test	Pass BS 5852 sez-4 part.1
Colour fastness washing change & stain	4 UNI EN ISO 105-C06
Colour fastness to artificial weather	7 UNI EN ISO 105-B04
Colour fastness chlorine water	4 UNI EN ISO 105-E03
Colour fastness to sea water	4/5 UNI EN ISO 105-E02
Tear force wingshape weft/warp (N)	284 / 213 UNI EN ISO 13937-3
Burning resistance upholstery furniture	Pass TB 117:2013 section 1


Color Shades




White Poppy
81L-81T



Sesame
82L-82T



Anise
83L-83T



Dill
84L-84T



Allspice Jamaica
85L-85T



Birds Foot
86L-86T